L Number	Hits	Search Text	DB	Time stamp
-	476	3-key encryption and 713/193.ccls.	USPAT;	2004/01/02 10:39
		7	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2116	encrypted adjl key	IBM_TDB USPAT;	2004/01/02 10:39
	2110	encrypted adji key	US-PGPUB;	2004/01/02 10.39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	92	(encrypted adj1 key) and (3-key encryption	USPĀT;	2004/01/02 10:44
		and 713/193.ccls.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	//onerunted add1 key) and /2-key	<pre>IBM_TDB USPAT;</pre>	2004/01/02 10:45
-	U	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.)) and	US-PGPUB;	2004/01/02 10:45
<u> </u>		(encryption and 713/133.ccis./) and (encrypt\$4 adjl condition adjl (info	EPO; JPO;	
		information))	DERWENT;	
		,	IBM TDB	
-	32	((encrypted adj1 key) and (3-key	USPĀT;	2004/01/02 10:48
		encryption and 713/193.ccls.)) and	US-PGPUB;	
		<pre>(encrypt\$4 adj1 (info information))</pre>	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	0004/04/00 40 50
-	1	(((encrypted adj1 key) and (3-key	USPAT; US-PGPUB;	2004/01/02 10:50
		encryption and 713/193.ccls.)) and (encrypt\$4 adj1 (info information))) and	EPO; JPO;	
		((multiple multi) adj1 key near3	DERWENT;	
		encrypt\$4)	IBM TDB	
-	5	((encrypted adj1 key) and (3-key	USPAT;	2004/01/02 10:55
		encryption and 713/193.ccls.)) and "key 1"	US-PGPUB;	
		and "key 2"	EPO; JPO;	
		·	DERWENT;	
	_	//	IBM_TDB	2004/01/02 11 02
-	3	((encrypted adj1 key) and (3-key	USPAT;	2004/01/02 11:02
		encryption and 713/193.ccls.)) and "key 1" and "key 2" and "recording medium"	US-PGPUB; EPO; JPO;	
		and key 2 and recording medium	DERWENT;	
			IBM TDB	
-	39	713/193.ccls. and (read\$4 near3 key near3	USPAT;	2004/01/02 12:55
		("storage unit" memory))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	,	/712/102 cala and /monded	IBM_TDB	2004/01/02 11-22
[-	4	(713/193.ccls. and (read\$4 near3 key near3 ("storage unit" memory))) and (read\$4	USPAT; US-PGPUB;	2004/01/02 11:23
		near3 (key data "encryption info") near3	EPO; JPO;	
		"recording medium")	DERWENT;	
			IBM TDB	
-	2	6237095.pn.	USPĀT;	2004/01/02 11:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
[_	100	712/102 colo and And -10000427	IBM_TDB	2004/01/02 11.46
1 -	188	713/193.ccls. and @pd<=19990427	USPAT; US-PGPUB;	2004/01/02 11:46
			EPO; JPO;	İ
			DERWENT;	
			IBM TDB	
-	0	((713/193.ccls. and @pd<=19990427) and	USPAT;	2004/01/02 11:51
		(read\$4 near3 key near3 (memory "storage	US-PGPUB;	
		unit"))) and (read\$4 near3 (key and	EPO; JPO;	
		(encrypt\$4 near3 info) and data) near3	DERWENT;	
_		"recording medium")	IBM_TDB	2004/01/02 12:50
-	0	((713/193.ccls. and @pd<=19990427) and	USPAT;	2004/01/02 13:58
		<pre>(read\$4 near3 key near3 (memory "storage unit"))) and (read\$4 near3 (key (encrypt\$4</pre>	US-PGPUB; EPO; JPO;	
		near3 info) data) near3 "recording	DERWENT;	
		medium")	IBM TDB	
<u> </u>		<u></u>		

-	6342	<pre>(read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")</pre>	USPAT; US-PGPUB;	2004/01/02 11:52
			EPO; JPO; DERWENT; IBM TDB	
_	34	((read\$4 near3 (key (encrypt\$4 near3 info)	USPĀT;	2004/01/02 11:52
		data) near3 "recording medium")) and (read\$4 near3 key near3 (memory "storage	US-PGPUB; EPO; JPO;	
		unit"))	DERWENT; IBM TDB	
-	11	<pre>(((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and</pre>	USPAT; US-PGPUB;	2004/01/02 11:53
		(read\$4 near3 key near3 (memory "storage	EPO; JPO;	
		unit"))) and @pd<=19992704	DERWENT; IBM_TDB	
-	8	(713/193.ccls. and @pd<=19990427) and (read\$4 near3 key near3 (memory "storage	USPAT; US-PGPUB;	2004/01/02 12:03
		unit"))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	705/571.ccls.	USPAT; US-PGPUB;	2004/01/02 12:03
			EPO; JPO; DERWENT;	
	0	713/193.ccls. and (read\$4 near3 (encript\$4	IBM_TDB USPAT;	2004/01/02 13:56
		adjl key) near3 ("storage unit" memory))	US-PGPUB;	2004/01/02 13:30
			EPO; JPO; DERWENT;	
_	0	read\$4 near3 (encript\$4 adj1 key) near3	IBM_TDB USPAT;	2004/01/02 13:56
		("storage unit" memory))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(stor\$4 near3 (encript\$4 adj1 key) near5	USPĀT;	2004/01/02 13:57
		("storage unit" memory))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
_	2	<pre>(stor\$4 same (encript\$4 adj1 key) same ("storage unit" memory))</pre>	USPĀT; US-PGPUB;	2004/01/02 13:58
		(Scorage dire memory)	EPO; JPO; DERWENT;	
			IBM_TDB	
_	1	<pre>(read\$4 same (encript\$4 adj1 key) same ("storage unit" memory))</pre>	USPAT; US-PGPUB;	2004/01/02 13:58
			EPO; JPO; DERWENT;	
_	6342	(read\$4 near3 (key (encrypt\$4 near3 info)	IBM_TDB USPAT;	2004/01/02 13:59
	0342	data) near3 "recording medium")	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	11592	(encrypt\$4 near3 key) same (us\$3 near3	IBM_TDB USPAT;	2004/01/02 14:00
	ĺ	key)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	106	((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and	USPAT; US-PGPUB;	2004/01/02 14:10
		((encrypt\$4 near3 key) same (us\$3 near3	EPO; JPO;	
		key))	DERWENT; IBM_TDB	
_	526	(re-encrypt\$4 reencrypt\$3) near3 key	USPAT; US-PGPUB;	2004/01/02 14:44
			EPO; JPO; DERWENT;	
	<u> </u>		IBM TDB	

-	9	(((read\$4 near3 (key (encrypt\$4 near3	USPAT;	2004/01/02 14:11
		info) data) near3 "recording medium")) and	US-PGPUB;	
		((encrypt\$4 near3 key) same (us\$3 near3	EPO; JPO;	
		key))) and ((re-encrypt\$4 reencrypt\$3) near3 key)	DERWENT; IBM TDB	
l _	1	"6360320".PN.	USPAT	2004/01/02 14:24
_	1	"6343281".PN.	USPAT	2004/01/02 14:25
_	1		USPAT	2004/01/02 14:27
_	1	"5923754".PN.	USPAT	2004/01/02 14:28
_	1	"5784460".PN.	USPAT	2004/01/02 14:30
-	1	"5754649".PN.	USPAT	2004/01/02 14:41
-	1	"5892900".PN.	USPAT	2004/01/02 14:41
-	105		USPAT;	2004/01/02 14:45
		"information processing"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	///re engript() reargript() near2 key)	<pre>IBM_TDB USPAT;</pre>	2004/01/02 14:51
-	"	(((re-encrypt\$4 reencrypt\$3) near3 key) and "information processing") and	US-PGPUB;	2004/01/02 14:51
		("recording medium" and "storage unit" and	EPO; JPO;	
		"type 1 key" and "type 2 key")	DERWENT;	
		cype i key und cype z key ,	IBM TDB	-
_	0	(((re-encrypt\$4 reencrypt\$3) near3 key)	USPĀT;	2004/01/05 06:56
	1	and "information processing") and	US-PGPUB;	
		("recording medium" and "storage unit" and	EPO; JPO;	
1		"encryption key")	DERWENT;	
			IBM_TDB	
-	1	"5892900".PN.	USPAT	2004/01/02 15:09
-	4498	713.clas. and (encrypt\$4 near3 key)	USPAT;	2004/01/05 06:56
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	491	(713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 06:59
	451	(reencrypt\$4 re-encrypt\$4)	US-PGPUB;	2001,01,00 00.00
		(1000001)F0 (10001)F0 (10001)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2		USPAT;	2004/01/05 07:06
		(reencrypt\$4 re-encrypt\$4)) and (encrypt\$4	US-PGPUB;	
		near3 info)	EPO; JPO;	
			DERWENT; IBM TDB	
_	1	"6275936".PN.	USPAT	2004/01/05 07:02
_	50	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:41
		(reencrypt\$4 re-encrypt\$4)) and (control\$4	US-PGPUB;	2001,01,03 07.11
		near3 access near3 data)	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	1	"5586186".PN.	USPĀT	2004/01/05 07:10
-	0	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:42
		(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB;	
		usage adj1 control).ti.	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:42
		(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB;	2003/01/03 07.42
	1	usage adj1 control).ab.	EPO; JPO;	
ļ	1		DERWENT;	
			IBM_TDB	
-	0	((,,,,,,,,,,,,,,,	USPĀT;	2004/01/05 07:42
	1	(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB;	
	1	control).ab.	EPO; JPO;	
	1		DERWENT;	
_	_	//712 also and /anamombé/2 h>	IBM_TDB	2004/01/05 07:55
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (data adj1	USPĀT; US-PGPUB;	2004/01/05 07:55
		control).ti.	EPO; JPO;	
	i		DERWENT;	
			IBM TDB	
	<u> </u>	l		

(reencrypt\$4 r	<pre>d (encrypt\$4 near3 key)) and e-encrypt\$4)) and (protect\$4 r3 (several same keys)).ti.</pre>	USPAT; US-PGPUB;	2004/01/05	07:56
near3 data nea	r3 (several same kevs)).ti.			
		EPO; JPO; DERWENT;		
(reencrypt\$4 r	d (encrypt\$4 near3 key)) and e-encrypt\$4)) and (protect\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/05	07:56
	r3 (several same keys)) d (encrypt\$4 near3 key)) and	DERWENT; IBM_TDB USPAT;	2004/01/05	77.50
(reencrypt\$4 r	e-encrypt\$4)) and (encrypt\$4 r3 (several same keys))	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/03	37.30
	d (encrypt\$4 near3 key)) and e-encrypt\$4)) and (read\$4 4 near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	07:59
- 491 ((713.clas. an (reencrypt\$4 rear3 key)	d (encrypt\$4 near3 key)) and e-encrypt\$4)) and (encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	07:59
and (reencrypt	nd (encrypt\$4 near3 key)) \$4 re-encrypt\$4)) and encrypt\$4 near3 data)) and r3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	08:00
and (reencrypt (read\$4 near3 (encrypted nea	and (encrypt\$4 near3 key)) \$4 re-encrypt\$4)) and encrypt\$4 near3 data)) and r3 key)) and (encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05	08:00
and (reencrypt (read\$4 near3	and (encrypt\$4 near3 key)) \$4 re-encrypt\$4)) and encrypt\$4 near3 data)) and r3 key)) and (encryption	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	08:00
- 48 (((713.clas. a and (reencrypt	nd (encrypt\$4 near3 key)) \$4 re-encrypt\$4)) and encrypt\$4 near3 data)) and r3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	08:31
and (reencrypt (read\$4 near3	nd (encrypt\$4 near3 key)) \$4 re-encrypt\$4)) and encrypt\$4 near3 data)) and r3 condition adj1 info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	08:32
- 643 713/193.ccls.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	10:16
- 106 713/193.ccls.	and "recording medium"	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05	10:17
((data content	and "recording medium") and) and (encrypted adj1 key) adj1 condition adj1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05	10:19
((data content	and "recording medium") and) and (encrypting adj1 key) adj1 condition adj1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05	10:19

_	2	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:28
		((data content) and (encrypting adjl key)	US-PGPUB;	
		and (encrypted adjl information))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:29
		((data content) and (encrypting adj1 key)	US-PGPUB;	
		and (encrypted adj1 condition))	EPO; JPO;	
			DERWENT;	
	_	(540/400)	IBM_TDB	0004/01/05 10:31
-	1	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:31
		((data content) and (encryption adj1 key)	US-PGPUB;	
		and (encrypted adjl condition))	EPO; JPO;	
	'		DERWENT;	
		/712/102 la and Unescanding modium!!\ and	<pre>IBM_TDB USPAT;</pre>	2004/01/05 10:31
-	1	(713/193.ccls. and "recording medium") and	US-PGPUB;	2004/01/03 10:31
		((encrypted adjl condition))		
			EPO; JPO; DERWENT;	
			IBM TDB	
	o	/713/103 cals and "resording modium") and	USPAT;	2004/01/05 11:34
-		(713/193.ccls. and "recording medium") and ((encrypt\$3 adj1 condition adj1 info))	US-PGPUB;	2007/01/03 11.34
1		((enerypers adjr condition adjr into) (EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 11:37
	I	((encrypt\$3 adjl condition adjl info) same	US-PGPUB;	
		record\$3 same "recording medium")	EPO; JPO;	
		recordy's same recording median,	DERWENT;	
			IBM TDB	
_	91	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 11:39
	7.	(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encryption key") same "recording medium")	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	
_	92	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 12:31
		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
	•	"encrypted key") same "recording medium")	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10		USPAT;	2004/01/05 12:57
		"recording medium") and (((encrypt\$3 adj1	US-PGPUB;	
		info) (data content) "encrypted key") same	EPO; JPO;	
		"recording medium")	DERWENT;	
			IBM_TDB	
-	1		USPAT	2004/01/05 12:35
-	1		USPAT	2004/01/05 12:36
-	175	380/201,281-284,45.ccls. and (((encrypt\$3	USPAT;	2004/01/05 13:27
		adjl info) (data content) "encrypted key")	US-PGPUB;	
		same "recording medium")	EPO; JPO;	
			DERWENT;	
-		/200/201 201 204 45 0-1	IBM TDB	2004/01/05 12:59
-	8	(380/201,281-284,45.ccls. and (((encrypt\$3	USPAT;	2004/01/05 12:59
		adj1 info) (data content) "encrypted key")	US-PGPUB; EPO; JPO;	
		same "recording medium")) and "software	DERWENT;	
		application"	IBM TDB	
_	1		USPAT	2004/01/05 13:03
1_	71	(380/201,281-284,45.ccls. and (((encrypt\$3	USPAT;	2004/01/05 13:30
_	'-	adjl info) (data content) "encrypted key")	US-PGPUB;	2003,01,03 13.30
		same "recording medium")) and (protect\$4	EPO; JPO;	
		same (data content) same encrypt\$4)	DERWENT;	
		Same (data content) Same enerypeys)	IBM TDB	
-	63	((380/201,281-284,45.ccls. and	USPAT;	2004/01/05 13:31
	l	(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypt\$4 same key)	IBM TDB	
L	1	1 AATTICLE STATE OF THE STATE O		

-	44	((380/201,281-284,45.ccls. and	USPAT;	2004/01/05 13:32
		(((encrypt\$3 adjl info) (data content)	US-PGPUB;	
		<pre>"encrypted key") same "recording medium")</pre>	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypt\$4 adj1 key)	IBM TDB	
_	19		USPAT;	2004/01/05 13:52
		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypted adj1 key)	IBM TDB	
	0		USPAT;	2004/01/05 13:52
-	٠	(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	2004/01/05 13.32
		"encrypted key") same "recording medium")	EPO; JPO;	
1) and (protect\$4 same (data content) same	DERWENT;	į
		encrypt\$4)) and (encrypted adj1 key) and	IBM_TDB	
		((multi multiple) adj1 key)		0004/01/05 10:00
-	0	((380/201,281-284,45.ccls. and	USPAT;	2004/01/06 10:00
		(((encrypt\$3 adjl info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypted adj1 key) and	IBM_TDB	
		(encrypt\$4 adj1 info)		
-	7		USPAT;	2004/01/06 10:05
		near3 (encrypted adj1 program)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(380/201,281-284,45.ccls. and (execut\$4	USPĀT;	2004/01/06 10:06
	ľ	near3 (encrypted adjl program)) and	US-PGPUB;	2001, 01, 00 10100
		(updat\$4 near3 key))	EPO; JPO;	
		(updaty4 hears key))	DERWENT;	
		/200/001 001 004 451	IBM_TDB	2004/01/06 10:07
-	0	(380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 10:07
		near3 (encrypted adj1 program)) and	US-PGPUB;	
		(renew\$4 near3 key))	EPO; JPO;	
		'	DERWENT;	
			IBM_TDB	, ,
-	1	(380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 11:04
		near3 (encrypted adj1 program)) and	US-PGPUB;	
		(change\$4 near3 key))	EPO; JPO;	
	1		DERWENT;	
	ļ		IBM_TDB	
-	1		USPAT	2004/01/06 10:27
-	1		USPAT	2004/01/06 10:30
-	1		USPAT	2004/01/06 10:32
-	3	((380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 10:35
1	1	near3 (encrypted adj1 program)))) and	US-PGPUB;	
		(encrypted adj1 key)	EPO; JPO;	
1.			DERWENT;	
			IBM TDB	
l _	1		USPAT	2004/01/06 10:39
_	381	(change\$4 near3 (encryption adjl key))	USPAT;	2004/01/06 11:14
	1 301		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1			
		(4-)	IBM_TDB	0004/01/05 11:10
-	49	((change\$4 near3 (encryption adj1 key)))	USPAT;	2004/01/06 11:18
		and (updat\$4 near3 (encryption adj1 key))	US-PGPUB;	
1	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((change\$4 near3 (encryption adj1 key)))	USPAT;	2004/01/06 11:46
		and (updat\$4 near3 (encryption adj1	US-PGPUB;	
1		key))and (ensur\$3 near3 security)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	6026165.pn.	USPAT;	2004/01/07 13:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	<u> </u>	<u> </u>	םתו הוסד	

-	220	713.clas. and ((renew\$4 Updat\$4 chang\$4	USPAT;	2004/01/07 13:20
		regenerat\$4 re-generat\$4) near3	US-PGPUB;	l i
		(encryption adj1 key))	EPO; JPO;]
			DERWENT;	i
			IBM TDB	
-	756	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/01/07 13:21
		re-generat\$4) near3 (encryption adj1 key))	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	83	(re-encrypt\$4 near3 (encryption adj1 key))	USPAT;	2004/01/07 13:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	'	USPAT;	2004/01/07 13:21
1		key))) and (((renew\$4 Updat\$4 chang\$4	US-PGPUB;	
		regenerat\$4 re-generat\$4) near3	EPO; JPO;	
		(encryption adj1 key)))	DERWENT;	
			IBM_TDB	
-	1		USPAT	2004/01/07 13:25
-	1		USPAT	2004/01/07 13:27
	1		USPAT	2004/01/07 13:27